

JERICO Pistol 941 9mm, .40 S&W, .45 ACP

The JERICO Pistol family is one of the most popular pistols in the world. The JERICO Pistol combines design with a variety of features and models to create a pistol that offers outstanding performance and reliability. The JERICO is available in standard, short and compact models, with either steel or polymer frames, including slide or frame mounted safety. The JERICO is the standard pistol of the Israeli Police and police units worldwide including Elite security entities

Its main features are:

- Very reliable mechanism
- Designed for military and police operation
- Available in 3 calibers: 9mm, .40 S&W, .45 ACP
- Complies to Military Standard (MIL-STD)
- Ergonomic grooved pistol grip
- Integral lower picatinny rail for mounting accessories
- Single or traditional double action
- Last round catch
- Round chamber indicator



JERICO 941 PL



JERICO 941 PSL



JERICO 941 PL



JERICO 941 F



JERICO 941 FS
with compensator



JERICO 941 FBL



JERICO 941 R
Chrome with compensator

Optional Accessories



Silencer



JERICO 941 PSL

Compensator



Round chamber indicator



Tritium Sights



JERICO 941 PL

Flashlight



Laser Pointer



Adjustable Stock



JERICO®

Polymer Frames	941 PL/RPL		941 PSL/RPSL		941 FBL/RBL	
Mechanical Features						
Ammunition	9x19	.40 S&W	9x19	.40 S&W	9x19	.40 S&W
Operation	Semi-auto, short recoil system					
Locking system	Lugs to slot (lugs on the barrel to slots in slide)					
Trigger mechanism	Single or double action					
Decoker mechanism	Only in RPL, RPSL, RBL					
Firing pin block	Yes					
Weight (gr)						
Pistol w/o magazine	790		730		680	
Magazine (empty)	90		90		80	
Magazine (loaded)	280	285	280	285	235	244
Dimensions (mm)						
Overall length	208		192		185	
Height	138		138		122	
Width	38		38		38	
Barrel length	112 (4.4")		97 (3.8")		89 (3.5")	
Trigger reach	76		76		76	
Sight line radius	154		139		132	
Magazine capacity	16	12	16	12	13	10
Twist, 1 turn (mm)	254	406	254	406	254	406
Barrel rifling	6 RH grooves (polygonal grooves - standard)					
Trigger pull force	S.A. 1.8 - 2.3 kg					
Sights	Combat type (tritium sight - optional)					
Integral rail (MIL-STD1913)	Yes		Yes		No	

Steel Frames	941 F/R		941 FS/RS			941 FB/RB	
Mechanical Features							
Ammunition	9x19	.40 S&W	9x19	.40 S&W	.45ACP	9x19	.40 S&W
Operation	Semi-auto, short recoil system						
Locking system	Lugs to slot (lugs on the barrel to slots in slide)						
Trigger mechanism	Single or double action						
Decoker mechanism	Only in R, RS, RB						
Firing pin block	Yes						
Weight (gr)							
Pistol w/o magazine	1050		885	1025	1025	850	
Magazine (empty)	90		90	100	100	80	
Magazine (loaded)	280	285	280	285	310	235	244
Dimensions (mm)							
Overall length	207		192			182	
Height	138		138			123	
Width	35		35			35	
Barrel length	112 (4.4")		97 (3.81")			89 (3.5")	
Trigger reach	76		76			76	
Sight line radius	154		139			132	
Magazine capacity	16	12	16	12	10	13	10
Twist, 1 turn (mm)	254	406	254	406	407	254	406
Barrel rifling	6 RH grooves (polygonal grooves - standard)						
Trigger pull force	S.A. 1.8 - 2.3 kg						
Sights	Combat type (tritium sight - optional)						
Integral rail (MIL-STD1913)	Yes		Yes			No	

IWI reserves the right to make changes or amendments without prior notice

IWI - Beyond Innovation

Israel Weapon Industries (IWI) Ltd.
P.O. Box 63 Ramat-Hasharon 47100 Israel
Tel: +972-3-7606000 Fax: +972-3-7606001
E-mail: info@iwi.net Website: www.iwi.net

